

**Experiment Number:** C16008-02

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Mouse/B6C3F1/N

**I04: Mean Body Weight Summary**

**Test Compound:** Crumbrubber various

**CAS Number:** CRUMBRUBBERVARIOUS

**Date Report Requested:** 02/12/2018

**Time Report Requested:** 11:13:58

**Lab:** Battelle

**C Number:**

C16008-02

**Cage Range:**

All

**Date Range:**

All

**Reasons For Removal:**

All

**Removal Date Range:**

All

**Treatment Groups:**

All

**Study Gender:**

Female

Experiment Number: C16008-02

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary

Test Compound: Crumbrubber various

CAS Number: CRUMBRUBBERVARIOUS

Date Report Requested: 02/12/2018

Time Report Requested: 11:13:58

Lab: Battelle

Females

Treatment Groups (ppm)

Phase Day	Litter ID	0		50000		
		Wt (g)	N	Wt (g)	% from CNTL	N
SD0		20.3 ± 0.3	15	20.2 ± 0.2	-0.5	15
SD4		20.7 ± 0.3	15	20.6 ± 0.3	-0.4	15
SD7		20.4 ± 0.4	15	20.2 ± 0.3	-1.0	14
SD11		21.4 ± 0.3	15	21.0 ± 0.3	-1.9	14
SD13		21.8 ± 0.6	5	21.5 ± 0.7	-1.4	4
SD14		21.6 ± 0.5	10	21.2 ± 0.4	-1.5	10

**Experiment Number:** C16008-02  
**Test Type:** TOX  
**Route:** Dosing in Feed  
**Species/Strain:** Mouse/B6C3F1/N

**I04: Mean Body Weight Summary**  
**Test Compound:** Crumbrubber various  
**CAS Number:** CRUMBRUBBERVARIOUS

**Date Report Requested:** 02/12/2018  
**Time Report Requested:** 11:13:58  
**Lab:** Battelle

#### LEGEND

---

Data are displayed as mean  $\pm$  SEM

Statistical analysis performed by Jonckheere (trend) and Williams or Dunnett (pairwise) tests (unless otherwise noted).

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

\* Statistically significant at  $P \leq 0.05$

\*\* Statistically significant at  $P \leq 0.01$

SD – Study Day; GD – Gestation Day; LD – Lactation Day; PND – Postnatal Day, adults post-weaning

In multigenerational studies bodyweights reported for all animals until mating; pregnant animals only during gestation and littering; all animals post-weaning of the last litter

Statistical analysis performed using the t-Test for comparing the two groups.

**\*\* END OF REPORT \*\***